


FG-4200F/-DC and FG-4201F/-DC



Highlights

Gartner Magic Quadrant Leader for both Network Firewalls and SD-WAN.

Security-Driven Networking FortiOS delivers converged networking and security.

Unparalleled Performance with Fortinet's patented / SPU / vSPU processors.

Enterprise Security with consolidated AI / ML-powered FortiGuard Services.

Hyperscale Security to secure any edge at any scale.

High performance with flexibility

The FortiGate 4200F Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 4200F Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 4200F automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

IPS	NGFW	Threat Protection	Interfaces
52 Gbps	47 Gbps	45 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots DC Variants



Available in



Appliance



Virtual





Cloud



Container

FortiOS Everywhere

FortiOS, Fortinet's advanced operating system

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



FortiGuard Services

FortiGuard AI-Powered Security

FortiGuard's rich suite of security services counter threats in real time using AI-powered, coordinated protection designed by FortiGuard Labs security threat researchers, engineers, and forensic specialists.

Web Security

Advanced cloud-delivered URL, DNS (Domain Name System), and Video Filtering providing complete protection for phishing and other web born attacks while meeting compliance.

Additionally, its dynamic inline CASB (Cloud Access Security Broker) service is focused on securing business SaaS data, while inline ZTNA traffic inspection and ZTNA posture check provide per-sessions access control to applications. It also integrates with the FortiClient Fabric Agent to extend protection to remote and mobile users.

Content Security

Advanced content security technologies enable the detection and prevention of known and unknown threats and file-based attack tactics in real-time. With capabilities like CPRL (Compact Pattern Recognition Language), AV, inline Sandbox, and lateral movement protection make it a complete solution to address ransomware, malware, and credential-based attacks.

Device Security

Advanced security technologies are optimized to monitor and protect IT, IIoT, and OT (Operational Technology) devices against vulnerability and device-based attack tactics. Its validated near-real-time IPS intelligence detects, and blocks known and zero-day threats, provides deep visibility and control into ICS/OT/SCADA protocols, and provides automated discovery, segmentation, and pattern identification-based policies.

Advanced NOC and SOC Management

Advanced NOC and SOC management tools attached to your NGFW provide simplified and faster time-to-activation.

SOC-as-a-Service

Includes tier-one hunting and automation, log location, 24×7 SOC analyst experts, managed firewall and endpoint functions, and alert triage.

Fabric Rating Security Best Practices

Includes supply chain virtual patching, up-to-date risk and vulnerability data to deliver quicker business decisions, and remediation for data breach situations.



Secure Any Edge at Any Scale

Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

ASIC Advantage



Network Processor 7 NP7

Network Processors operate inline to deliver unmatched performance and scalability for critical network functions. Fortinet's breakthrough SPU NP7 network processor works in line with FortiOS functions to deliver:

- Hyperscale firewall, accelerated session setup, and ultra-low latency
- Industry-leading performance for VPN, VXLAN termination, hardware logging, and elephant flows



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



FortiCare Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



Use Cases

Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



HyperScale


- Purpose-built SPUs power FortiOS to consolidate networking and security and deliver ultra-scalable Security-Driven Networks
- Unparalleled ultra-high performance offers the industry's highest number of connections and connections per second performance combined with security-enabled performance to safeguard business-critical applications
- Hardware assisted anti-DDoS prevents volumetric attacks and delivers strong security posture



Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection

Datacenter Deployment (NGFW, IPS, Segmentation)



Hardware

FortiGate 4200F Series


SSD1 🕀 SSD2

000<u>0</u> 000<u>8</u>

000000000

-


 FAN



Interfaces

- 1. 1 x USB Management and Console Port
- 2. 2 x GE RJ45 Management Ports
- 3. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP High Availability Slots
- 4. 2 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 5. 16 × 25 GE SFP28/ 10 GE SFP+/ GE SFP Slots
- 6. 8 × 100 GE QSFP28/ 40 GE QSFP+ Slots

Hardware Features



Hyperscale Firewall License

FAN2

6

This perpetual license empowers organizations by unlocking further performance boosts. The Hyperscale Firewall License enables the hardware acceleration of CGNAT features by utilizing Fortinet's patented SPU NP7. These features include hardware session setup, firewall session logging, and NAT.

8 + +

Trusted Platform Module (TPM)

The FortiGate 4200F Series features a dedicated module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys. Hardware-based security mechanisms protect against malicious software and phishing attacks.

100 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 4200F series provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.

Specifications

Interfaces and ModulesHardware Accelerated 100 GE QSFP28 / 40 GE QSFP+ Slots8Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Blots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP+ / GE SFP Also2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers22 GE SPP 20 / (SR 10 GE)System Performance — Enterprise Traffic Mix2IPS Throughput 252 GEpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity1IPv4 Firewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsGateway-to-Gateway IPsec VPN Tunnels400 G00IPsec VPN Throughput (12 byte)210 Million / 50 Million*New Sesions/Second (TCP)1 Million / 7 Million*Firewall Throughput16 GbpsConcurrent Sesions (TCP)10 Million / 20 GipsSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcSLI-Nepection Throughput30 GipcGetaway-to-Gateway IPsec VPN Tunnels30 GipcGetaway-to-Gateway IPsec VPN Tunnel Mode)30 GipcSLI-Nepection Throughput10 / 50 GipsGetaway-Goriol Throughput		FG-4200F/-DC	FG-4201F/-DC	
40 GE QSFP+ SlotsHardware Accelerated 25 GE SFP28 / 10 GE SFP // GE SFP MA Slots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP24 / GE SFP MA Slots2Hardware Accelerated 25 GE SFP28 / 10 GE SFP4 / GE SFP MA Slots2GE RJA5 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix2IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.445 GbpsSystem Performance and Capacity1IPv4 Firewall Throughput 2.4800 / 788 / 400 GbpsFirewall Throughput 1.4600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*Firewall Policies400 000IPv4 Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 GbpsGincurrent Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies30 000SL-VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels30 000SL-SL-VPN Throughput (HTTP 64K)34 000SL-Nepection Throughput (HTTP 64K)47 GbpsGrey Altrong Mark (Maximum)10 / 500Maximum Number of FortiAPs300Maximum Number of FortiAPs20 000Maximum Number of FortiAPs20 000Maximum Number of FortiAPs20 000Maximum Number of FortiAPs20 000Maximum Numbe	Interfaces and Modules			
10 GE SPP+ / GE SPP SlotsHardware Accelerated 25 GE SP28 / 10 GE SPP+ / GE SPP AUX Slots2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic Mix7IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.5800 / 788 / 400 GbpsSystem Performance and Capacity9IPv5 Firewall Throughput 1800 / 788 / 400 GbpsFirewall Throughput 1900 / 788 / 400 GbpsFirewall Throughput 1800 / 788 / 400 GbpsGateway-to-Gateway IPsec VPN Tunnels800 / 788 / 400 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000St. Inspection CPS (IPS)314 000St. Inspection CPS (IPS, avg. HTTPS) 334 400St. Inspection CPS (IPS, avg. HTTPS) 334 400St. Inspection CPS (IPS, avg. HTTPS) 334 000St. Inspection CPS (IPS, avg. HTTPS) 334 000 <t< th=""><th></th><th colspan="3">8</th></t<>		8		
10 GE SFP HA SlotsHardware Accelerated 25 GE SFP28 / 10 GE SFP 4/ GE SFP AUS Slots2GE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02 × 2 TB SSDIncluded Transceivers2 x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.5800 / 788 / 400 GbpsSystem Performance and CapacityIPv6 Firewall Throughput 1.5800 / 788 / 400 GbpsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*Firewall Throughput (S12 byte)'200 000State-ver Gateway IPsec VPN Tunnels400 000Concurrent Sessions (TCP)210 GbpsGetway-to-Gateway IPsec VPN Tunnels200 000SSL Inspection CPIN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (PS, avg. HTTPS)'s34 000SSL Inspection Concurrent Session9 MillionGrecommended Maximum, Tunnel Mode)30 000SSL Inspection Concurrent Session9 MillionGPS, avg. HTTPS)'s34 000Cherrent Session Concurrent Session30 000SSL Inspection Concurrent Session30 000Grecommended Maximum, Tunnel Mode)30 00SSL Inspection Concurrent Session30 00Grecommender Maximum, Tunnel Mode)30 00SSL Inspection Concurrent Session30 00Grecommender Maximum, Tunne		16		
10 GE SFP 4/JX SlotsGE RJ45 Management Ports2USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 247 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput 1.64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput 2.8800 / 788 / 400 GbpsFirewall Throughput 1.94 byte, UDP)3.02 µsFirewall Throughput 1.94 byte, UDP)3.02 µsGateway-to-Gateway IPsec VPN Tunnels400 000IPv6 Firewall Throughput210 Ghlilion / TMillion*Firewall Policies400 000IPsec VPN Throughput16 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput50 GbpsSSL Inspection Throughput135 GbpsConcurrent SSL-VPN Users9 MillionRecommended Maximum, Tunnel Mode)315 GbpsSSL Inspection Concurrent Session9 MillionSSL Inspection Throughput135 GbpsChaptication Control Throughput13		2		
USB Port1Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv6 Firewall Throughput800 / 788 / 400 GbpsIPv6 Firewall Throughput800 / 788 / 400 GbpsFirewall Throughput900 / 788 / 400 GbpsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (PS, avg. HTTPS) 334 000SSL Inspection Chrol Throughput (PS, avg. HTTPS		2		
Console Port1Onboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPreformance — Enterprise Traffic MixIPS Throughput 2.452 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)3.02 µsFirewall Throughput (1518 / 512 / 86 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Cleant-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput (Packet per Second)30 000Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (Packet per Second)30 000SSL Inspection Chroughput (Packet Per Second)30 000SSL Inspection Chroughput (Packet Per Second)30 000SSL Inspection Chroughput16 GbpsConcurrent SSL-VPN Tunnels40 000SSL Inspection Throughput13 GbpsSSL Inspection Chroughput13 GbpsChroughput (PACK PAR AND AND PAR AND	GE RJ45 Management Ports	2		
Included Transceivers02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPV4 Firewall Throughput800 / 788 / 400 Gbps[PS Throughput 1000)800 / 788 / 400 Gbps[Psiewall Throughput800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users30 000SSL Inspection Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 330 00Application Control Throughput13 GbpsChAWAP Th	USB Port	1		
Included Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (ST2 / 64 byte, UDP)800 / 788 / 400 GbpsIFrewall Throughput (ST2 / 64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput50 GbpsSSL-VPN Throughput50 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000Chert Product Throughput10 S GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches300Maximum Number of FortiSkitches20 000Maximum Number of FortiSkitches20 000Maximum Number of FortiSkitches20 000Maximum Number of Registered50 000	Console Port	1		
System Performance — Enterprise Traffic MixIPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput (1518 / 512 / 66 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput (Sig Maximum, Tunnel Mode)30 GbpsSSL Inspection Concurrent Session31 dou0SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session9 Million(IPS, avg. HTTPS) 330 OolApplication Control Throughput135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported200 000Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported300Maximum Number of FortiSwitches Supported20000Maximum Number of	Onboard Storage	0 2× 2 TB SSD		
IPS Throughput 252 GbpsNGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and Capacity800 / 788 / 400 GbpsIPv4 Firewall Throughput800 / 788 / 400 GbpsIPv6 Firewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000Gateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Contorl Throughput135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Supported20 000Maximum Number of Registered So 00050 000	Included Transceivers	2x SFP+ (SI	R 10 GE)	
NGFW Throughput 2.447 GbpsThreat Protection Throughput 2.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput (TST8 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (tST8 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-vPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (HTTP 64K)47 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsCAPWAP Throughput (HTTP 64K)419 CbpsCAPWAP Throughput (HTTP 64K)419 CbpsMaximum Number of FortiAPs8192 / 4096Maximum Number of FortiAPs20 000Maximum Number of Registered50 000Maximum Number of Registered50 000	System Performance — Enterprise Traffic Mix	(
Threat Protection Throughput *.545 GbpsSystem Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 Gbps(1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million *Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Coti / Tunnels20 000Maximum Number of Registered FortiClients50 000	IPS Throughput ²	52 Gb	ips	
System Performance and CapacityIPv4 Firewall Throughput800 / 788 / 400 Gbps(1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsFirewall Throughput800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs Supported300Maximum Number of FortiAPs Coti / Tunnels20 000Maximum Number of Registered S0 00050 000	NGFW Throughput ^{2, 4}	47 Gb	ips	
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)800 / 788 / 400 GbpsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Concurrent Session9 MillionSSL Inspection Concurrent Session9 MillionCAPWAP Throughput (HTTP 64K)47 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiAPs (total / Tunnel)3192 / 4096Maximum Number of Registered FortiClients50 000	Threat Protection Throughput ^{2,5}	45 Gb	ips	
(1518 / 512 / 64 bytě, ÚDP)800 / 788 / 400 GbpsIPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Chroughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 330 0CAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiAPs (Total / Tunnel)8192 / 4096Maximum Number of Registered FortiClients50 000	System Performance and Capacity			
(1518 / 512 / 86 bytě, ÚDP)3.02 µsFirewall Latency (64 byte, UDP)3.02 µsFirewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million *Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Concurrent Sec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)SSL Inspection Throughput (IPS, avg. HTTPS) 3SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3A4 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3Application Control Throughput (IPS, avg. HTTPS) 3Application Control Throughput (IPS of SolpsCAPWAP Throughput (HTTP 64K)A7 GbpsOutinual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300300Maximum Number of FortiTokens20 000Maximum Number of FortiTokens20 000Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000		800 / 788 / 400 Gbps		
Firewall Throughput (Packet per Second)600 MppsConcurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches Supported300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000		800 / 788 / 400 Gbps		
Concurrent Sessions (TCP)210 Million / 450 Million*New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Latency (64 byte, UDP)	3.02 µs		
New Sessions/Second (TCP)1 Million / 7 Million*Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IHTTP 64K) 29 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum) tunper of FortiSwitches supported300Maximum Number of FortiAPs (Total / Tunnel)8192 / 4096Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Throughput (Packet per Second)	600 Mpps		
Firewall Policies400 000IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionCAPWAP Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Concurrent Sessions (TCP)	210 Million / 450 Million*		
IPsec VPN Throughput (512 byte) 1210 GbpsGateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 39 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	New Sessions/Second (TCP)	1 Million / 7 Million*		
Gateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (HTTP 64K) 29 MillionCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Firewall Policies	400 000		
Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Concurrent Session (IPS, avg. HTTPS) 3135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	IPsec VPN Throughput (512 byte) ¹	210 Gbps		
SSL-VPN Throughput16 GbpsConcurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Gateway-to-Gateway IPsec VPN Tunnels	40 000		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput (IPS, avg. HTTPS) 350 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 334 000SSL Inspection Concurrent Session (IPS, avg. HTTPS) 39 MillionApplication Control Throughput (HTTP 64K) 2135 GbpsCAPWAP Throughput (HTTP 64K)47 GbpsVirtual Domains (Default / Maximum)10 / 500Maximum Number of FortiSwitches (Total / Tunnel)300Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	Client-to-Gateway IPsec VPN Tunnels	200 000		
(Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, avg. HTTPS) ³ 50 Gbps SSL Inspection CPS (IPS, avg. HTTPS) ³ 34 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	SSL-VPN Throughput	16 Gbps		
(IPS, avg. HTTPS) ³ 34 000 SSL Inspection CPS (IPS, avg. HTTPS) ³ 34 000 SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches Supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		30 000		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ 9 Million Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		50 Gbps		
(IPS, avg. HTTPS) ³ Application Control Throughput (HTTP 64K) ² 135 Gbps CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches supported 300 Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	SSL Inspection CPS (IPS, avg. HTTPS) ³	34 000		
(HTTP 64K) ² CAPWAP Throughput (HTTP 64K) 47 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches 300 Maximum Number of FortiAPs 8192 / 4096 (Total / Tunnel) 20 000 Maximum Number of Registered 50 000		9 Million		
Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of FortiSwitches 300 Supported 312 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered 50 000		135 Gbps		
Maximum Number of FortiSwitches300Supported3192 / 4096Maximum Number of FortiAPs8192 / 4096Maximum Number of FortiTokens20 000Maximum Number of Registered FortiClients50 000	CAPWAP Throughput (HTTP 64K)	47 Gbps		
Supported Maximum Number of FortiAPs (Total / Tunnel) 8192 / 4096 Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000	Virtual Domains (Default / Maximum)	10 / 500		
(Total / Tunnel) Maximum Number of FortiTokens 20 000 Maximum Number of Registered FortiClients 50 000		300		
Maximum Number of Registered 50 000 FortiClients		8192 / 4096		
FortiClients	Maximum Number of FortiTokens	20 000		
High Availability Configurations Active-Active, Active-Passive, Clustering		50 000		
	High Availability Configurations	Active-Active, Active-	Passive, Clustering	

Dimensions and Power				
Height x Width x Length (inches)	5.22 × 17.20 × 26.17			
Height x Width x Length (mm)	132.5 × 437 × 664.8			
Weight	59.75 lbs (27.1 kg)	61.07 lbs (27.7 kg)		
Form Factor (supports EIA/non-EIA standards)	Rack Mount, 3 RU			
AC Power Supply	100-240V AC, 50/60 Hz			
AC Current (Maximum)	13.5A@120V, 5.5A@240V			
Power Consumption (Average / Maximum)	931 W / 1291 W	940 W / 1306 W		
DC Power Supply	-48V to -60V DC			
DC Current (Average / Maximum)	20A / 100Apk			
Heat Dissipation	4405 BTU/h	4456 BTU/h		
Redundant Power Supplies	Default 1+1 Redundant, Hot Swappable			
Power Supply Efficiency Rating	80Plus Compliant			
Fan Tray	Hot Swappable			
Operating Environment and Certifications				
Operating Temperature	32°-104°F (0°-40°C)			
Storage Temperature	-31°-158°F (-35°-70°C)			
Humidity	20%-90% non-condensing			
Noise Level	57 dBA			
Forced Airflow	Front to Back			
Operating Altitude	Up to 7400 ft (2250 m)			
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/ cUL, CB			

FG-4200F/-DC

USGv6/IPv6

* Requires Hyperscale Firewall License

Certifications

Note: All performance values are "up to" and vary depending on system configuration.

¹ IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$ IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{\scriptscriptstyle 3}$ SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

⁴ NGFW performance is measured with Firewall, IPS and Application Control enabled.

⁵ Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

FG-4201F/-DC

Ordering Information

Product	SKU	Description
FortiGate 4200F	FG-4200F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports,
FOI IIGale 4200F	FG-4200F	SPU NP7 and CP9 hardware accelerated, 2 AC power supplies.
FortiGate 4201F	FG-4201F	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 AC power supplies.
FortiGate 4200F-DC	FG-4200F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, and 2 DC power supplies.
FortiGate 4201F-DC	FG-4201F-DC	8× 100GE/40GE QSFP28 slots and 18× 25GE/10GE SFP28 slots, 2 x GE RJ45 Management Ports, SPU NP7 and CP9 hardware accelerated, 2× 2TB storage and 2 DC power supplies.
Hyperscale Firewall License	LIC-FGT-HYPSC	Hyperscale Firewall License for FortiGate FG-4200F/FG4201F Series for hardware session setup acceleration and logging.
Optional Accessories/Spares	SKU	Description
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG- 3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG-3600E-DC/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3950B/-DC, and FG4200F/4201F.
AC Power Supply	SP-FG4000F-PS	2000W AC power supply for 4000F and 6000F series, does not include SP-FGPCORC15-XX power cord.
AC Power Cord	SP-FGPCORC15-XX	6 ft power cord, 15A125V XXX, PSE BLACK ROHS-6, for FG-3900E, 4000F, 6000F and 7000E/F Series
DC Power Supply	SP-FG4000F-DC-PS	DC power supply for FG-4200F-DC/4201F-DC, FG-4400F-DC/4401F-DC and FG-6000F-DC.
Fan Tray	SP-FG4K6K-FAN	Spare Hotswappable Fan Module for FG-420xF/440xF/6000F.
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10GE SFP+ Transceiver Module, 30km Long Range	FN-TRAN-SFP+BD27	10GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD33, ordered separately)
10GE SFP+ Transceiver Module, (connects to FN-TRAN- SFP+BD27, ordered separately)	FN-TRAN-SFP+BD33	10GE SFP+ transceiver module, 30km long range single BiDi for systems with SFP+ and SFP/ SFP+ slots (connects to FN-TRAN-SFP+BD27, ordered separately)
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FN-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FN-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
100 GE QSFP28 Transceiver Module, Short Range	FN-TRAN-QSFP28-SR	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, Long Range	FN-TRAN-QSFP28-LR	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
100 GE QSFP28 Transceiver Module, CWDM4	FN-TRAN-QSFP28-CWDM4	100 GE QSFP28 transceivers, LC connectors, 2KM for all systems with QSFP28 slots.
100 GE QSFP28 BIDI Transceiver Module	FN-TRAN-QSFP28-BIDI	100 GE QSFP28 BIDI transceiver module, 100m MMF LC connector, for systems with QSFP28 slots.

Subscriptions

	Service Offering	A-la-carte		Bundles		
Service Category			Enterprise Protection	Unified Threat Protection	Advanced Threat Protection	
Security Services	FortiGuard IPS Service	•	•	•	•	
	FortiGuard Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•		•	•	
	FortiGuard Web Security — URL and web content, Video and Secure DNS Filtering	•	•	•		
	FortiGuard Anti-Spam		•	•		
	FortiGuard IoT Detection Service	•	•			
	FortiGuard Industrial Security Service	•	•			
	FortiCloud AI-based Inline Sandbox Service ¹	•				
NOC Services	FortiGate Cloud (SMB Logging + Cloud Management)	•				
	FortiGuard Security Fabric Rating & Compliance Monitoring Service	•	•			
	FortiConverter Service	•	•			
	FortiGuard SD-WAN Underlay Bandwidth and Quality Monitoring Service	•				
SOC Services	FortiAnalyzer Cloud	•				
	FortiAnalyzer Cloud with SOCaaS	•				
Hardware and Software Support	FortiCare Essentials	•				
	FortiCare Premium	•	•	•	•	
	FortiCare Elite	•				
Base Services	FortiGuard Application Control					
	FortiCloud ZTNA Inline CASB Service ¹					
	Internet Service (SaaS) DB Updates					
	GeoIP DB Updates	included with FortiCare Subscription				
	Device/OS Detection Signatures					
	Trusted Certificate DB Updates					
	DDNS (v4/v6) Service					

1. Available when running FortiOS 7.2



FortiGuard Bundles


FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.





www.fortinet.com

Copyright © 2023 Fortinet, Inc. All rights reserved. FortiGate⁶, Fortinet⁶, Fortinet⁶