



Product Compliance Datasheet

MARKETING NAME.....: Vostro 3520

REGULATORY MODEL.....: P112F

REGULATORY TYPE.....: P112F007 (6L), P112F008 (8L)

EMC EMISSIONS CLASS.....: B

EFFECTIVE DATE.....: April 11, 2022

Table of contents

- I. Statement of Compliance..... 2
- II. Global Environmental Information..... 2
- III. Declaration of Similarity 3
- IV. Power Cords and User Documentation 3
- V. Trade (Import/Export) Compliance Data 4
- VI. Product Dimensions and Weight..... 4
- VII. Product Energy Performance Data 4
- VIII. Product Materials Information 5
- IX. Packaging..... 6
- X. Batteries 7
- XI. Design for Environment..... 7
- XII. France Reparability Index 7
- XIII. Recycling / End-of-Life Service Information..... 8
- XIV. Helpful Links..... 9
- Appendix A: ErP Lot 3 Product Energy Consumption Information 10
- Appendix B: ErP Lot 26 Network Standby Energy Consumption Information 14
- Appendix D: France Reparability Index 15
- Appendix E: France – Consumer Information about product environmental qualities and characteristics 16



I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council. [https://www.dell.com/ErP User Information](https://www.dell.com/ErP_User_Information). REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab <http://www.dell.com/support>. Additional compliance documentation for the product is available upon submitting a request at <https://support.dellproductcompliance.com> Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

II. Global Environmental Information

| Environmental (Voluntary Marks) | | |
|---------------------------------|---------------------------------------|------------|
| Country | Approval | Compliance |
| Global | ENERGY STAR (Configuration Dependent) | 8.0 |
| China | CECP | Yes |
| China | CEC | Yes |
| Japan | Green PC Label | Yes |



| | | |
|--|---------------------------------|---|
| Varies by Country | EPEAT (Configuration Dependent) | Refer to EPEAT.net for specific registration levels and countries |
| See EPEAT.net | | |
| Brazil | INMETRO | Yes |

| Adapter Certification and Declarations | |
|--|---------------------------|
| Country | Authority/Mark |
| Australia/New Zealand | Australia/NZ MEPS |
| Canada | NRCan |
| US – California Energy Commission | Adapter & Battery Charger |
| European Union | Regulation EC No 278/2009 |
| South Korea | South Korea MEPS |

III. Declaration of Similarity

| Object of the Declaration | |
|---------------------------|-------------------------------|
| Product Type | Portable Computer |
| Regulatory Model Number | P112F |
| Regulatory Type Number | DELL |
| Trade Name/ Trademark | P112F007 (6L) / P112F008 (8L) |
| Marketing Name(s) | Vostro 3520 |

Dell Inc. hereby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trademark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

| | | | |
|---------------|--|----------------------------------|---|
| Date of Issue | April 11, 2022 | Signature on behalf of Dell Inc. | Dell Inc. Dell Global Product Compliance and Environmental Affairs |
| Title | Dell Global Product Compliance and Environmental Affairs | | |

IV. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.



V. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <http://www.dell.com/learn/us/en/uscorp1/import-export> or send email request to WW_Export_Compliance@dell.com. Please include product identifiers such as marketing name, regulatory model, regulatory type, and country that compliance information is needed in the email request.

VI. Product Dimensions and Weight

| Depth, mm | Width, mm | Height, mm | Weight, kg |
|---------------------------------------|-----------|--|---|
| Aluminum : 234.90 Plastic : 235.60 | 358.50 | Aluminum: 15.52(Front), 18 (Rear) Plastic: 16.96 (Front), 19 (Rear) | Aluminum: 1.85 (min), 1.94 (max) Plastic: 1.83 (min), 1.90 (max) |

VII. Product Energy Performance Data

ErP Lot 3, Lot 26 and ErP Lot 9 information is in Appendices A, B and C respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: [Reducing your Footprint](#)

For additional information on ENERGY STAR models refer to the following database: [ENERGY STAR Product Finder](#)

Computer:

| Service Level | Energy Consumption (Wattage) | BTU Calculation | Description of Service Level |
|-------------------------------------|------------------------------|-----------------|--|
| CPU stressed | 41.12 | 140.63 | The system is running programs to maximize the CPU utilization and/or running programs to maximize the power consumption |
| Short Idle | 6.25 | 21.38 | As specified per EPA ENERGY STAR |
| Long Idle | 3.30 | 11.29 | As specified EPA ENERGY STAR |
| S3 "Sleep" or Modern Standby | 0.86 | 2.94 | S3=Suspend-to-RAM, or Modern Standby |
| Off/Standby | 0.31 | 1.06 | System is turned off but still connected to its AC power source. |



Energy Consumption¹

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click [here](#) for Dell's Energy efficient products.

*Energy Consumption results are based solely upon the laboratory testing of the System Configuration and in accordance to the described service level. Energy consumption is tested at 230 Volts / 50 Hz.

Declared noise emission values in accordance with ISO 9296. Testing performed in compliance with ISO 7779 with operating modes defined by ECMA-74.

VIII. Product Materials Information

Information on Dell's material use is available [here](#).

Dell's Restricted Material for Use guidance document is available [here](#).

| | |
|---|---|
| Mechanical plastic parts ¹ are BFR/PVC free | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Marking of plastics parts is in accordance with ISO 11469 (see below) | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Printed circuit boards (without components) >0.5g are BFR PVC free ¹ | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA |
| Insulation materials of external electrical cables are PVC free | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA |
| Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free) | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Postconsumer recycled Plastics (ITE-Derived) ¹ material content is used in the product If yes, indicate the percentage of the postconsumer recycled material per total plastic weight of the product ² | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA 7 % PCR (Post Consumer Recycled) material in total plastic of product |
| Biobased Plastic material ³ content is used in the product. If yes, either indicate the percentage of the biobased plastic material per total plastic weight of the product Or | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA 0 % biobased plastic material in total plastic of product |

¹ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied. For more details visit <https://www.dell.com/learn/us/en/uscorp1/dell-environment>

¹ This product contains x% post-consumer recycled plastic and/or closed loop recycled plastics (ITE-derived)*
*(Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in TCO standard as applies to plastic parts.)

² % May be the same as declared in ENV0025 for Display

³ Bio-based plastics are fully or partially made from biological resources, rather than fossil raw materials. They are not necessarily compostable or biodegradable. It is important to examine the full life cycle of bio-based plastics, to ensure that they are beneficial to the environment beyond the reduction in use of fossil resources. This includes littering and changes in land use



Flame Retardants Used in Motherboard

| Part | List the Flame Retardants |
|------------------|--|
| PCB ⁴ | TBBPA <13% Brominated epoxy resin <20% Aluminium hydroxide <15% Organic phosphorus-based reactive flame retardant <9% DOPO <10% Phenol, 4,4-(1-methylethylidene)bis(2,6-dibromo-, polymer with (chloromethyl)oxirane and 4,4-(1-methylethylidene)bisphenol <8% |

Flame Retardants Used in Mechanical Plastic Parts

The case material is > PC+ABS <

| Resin Material Name | Plastic Part Marking per ISO 11469:2016 | Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.) | List the Flame Retardants used on (i.e. BPA, etc) | List applicable R-Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008 |
|---------------------|---|--|---|---|
| FR3021 | >PC+ABS-TD15FR(40)< | FR(40) | Halogen-free organic phosphorus compounds | NA |
| FR3021R30 | >PC+ABS-TD15FR(40)(REC)< | FR(40) | Halogen-free organic phosphorus compounds | NA |

Mercury Information

| Number of bulbs | Average per bulb |
|-----------------|------------------|
| 0 | N/A |

Additional information:

- Refer to Dell Technologies' [Chemical Use Policy](#) for more information on RoHS and REACH.
- Products MSDS (Material Safety Data Sheets):
 - Batteries: [Battery MSDS Documentation and Declaration](#)
 - Printer Toner and Ink: [MSDS Documentation](#)

IX. Packaging

Information on Dell's sustainable packaging effort available [here](#). Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found at www.dell.com/restrictedsubstanceslist.

| Packaging Materials | Total Weight, (g) | Sustainable Material Content[1] (e.g Recycled content *, bio-based, Sustainable Forested materials) | % Sustainable Material |
|---------------------|-------------------|---|------------------------|
| | | | |

⁴ A PCB is a blank circuit board with no electronic components attached



| | | | APJ region | DAO region | EMEA region |
|---------------------------------|-----|------------------|------------|------------|-------------|
| Corrugated Fiberboard | 413 | Recycled Content | Min 35% | Min 35% | Min 35% |
| LDPE (Including EPE Foam) | 2 | Recycled Content | 0-80% | 0-80% | 0% |
| Molded paper pulp | 164 | Recycled content | 100% | 100% | 100% |
| HDPE (including thermoformed) * | 18 | Recycled Content | 0-80% | 0-80% | 0% |

X. Batteries

Below is a listing of batteries that could be present in the product:

| Battery Description – Batteries | Battery Type | Battery Weight (kg) | Rating |
|--|--------------|---------------------|--------|
| Rechargeable Battery 3 cell (CosMX/Simplo/BYD/LGES/SWD/NVT) | Lithium Ion | 0.176 | 41 Wh |
| Rechargeable Battery 4 cell (CosMX/Simplo/BYD/LGES/SWD/NVT) | Lithium Ion | 0.231 | 54 Wh |

XI. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes click [here](#).

XII. France Repairability Index

On January 1, 2021, France introduced a new Repairability Index for five categories of electronic devices, including laptops. The aim of this new Repairability Index is to inform customers about available repair options for a product prior to purchase.

The Repairability Index is a score ranging from 0 to 10/10, calculated based on five criteria:

- 1. Documentation:** A score determined by the manufacturer's commitment to make technical documents available free of charge, in number of years, to repairers and consumers.
- 2. Disassembly, tools, and fasteners:** A score determined by how easy it is to disassemble the product, the type of tools needed, and the characteristics of the fasteners.
- 3. Availability of spare parts:** A score determined by the length of time the manufacturer commits to makes spare parts available for the product and the time it takes to deliver them.
- 4. Price of spare parts:** A score determined by the ratio of the sale price of spare parts to the price of the product.
- 5. Product specific:** A score determined by sub-criteria specific to the product category concerned, which may include availability of remote support, software updates, and resets.

The Repairability Index for this product and the parameters used to calculate the Repairability Index, are provided in Appendix D.

XIII. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit [How to Recycle | Dell Technologies US](#) and select the relevant country.



XIV. Helpful Links

- **Environmental Policy**
https://i.dell.com/sites/csdocuments/Corporate_corp-Comm_Documents/en/dell-global-environmental-policy.pdf
- **Social Impact - Progress Made Real**
<https://corporate.delltechnologies.com/en-id/social-impact.htm>
- **Advancing Sustainability**
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability.htm>
- **ISO 14001 Certification**
[ISO Certification Certificate Environmental 14001 \(delltechnologies.com\)](https://www.dell.com/iso-certification-certificate-environmental-14001)
- **Materials Restricted for Use**
www.dell.com/restrictedsubstanceslist
- **Chemical Use Policy**
<http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf>
- **Product Carbon Footprint**
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/sustainable-products-and-services/product-carbon-footprints.htm>
- **RoHS Compliance**
- <https://dellproductcompliance.atlassian.net/servicedesk/customer/portal/6/topic/4ef197b3-28bb-4ff8-96ce-0fcb642ecf8f/article/10289411>
- **REACH Compliance**
www.dell.com/REACH
- **Recycling Information**
<http://www.dell.com/recycling>
- **Supplier Responsibility – Champion the Many People**
<https://corporate.delltechnologies.com/en-us/social-impact/advancing-sustainability/champion-the-many-people.htm>



Appendix A: ErP Lot 3 Product Energy Consumption Information

European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, and Small-Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Additional information on ErP Lot 3, Lot 7 & Lot 26 available [here](#).

P112F007

| | |
|-------------------------------------|------------|
| Processor Speed in GHz | 1.7 |
| Number of Cores | 10 |
| Total Installed System Memory in GB | 16 |
| Graphics | Integrated |
| Category | Category A |
| Total Installed Memory in GB | 16 |
| Memory Adder | 4.8 |
| Adders | |
| Additional Internal Storage? | No |
| Storage Adder | 0.00 |
| 1st Discrete Graphics Card? | Integrated |
| 1st Discrete Graphics Adder | 0.00 |
| 2nd Discrete Graphics Card? | N/A |
| 2nd Discrete Graphics Adder | 0.00 |
| Discrete Television Turner Card? | No |
| Discrete TV Turner Card Adder | 0.00 |
| Category | Category A |
| Processor Speed in GHz | 1.7 |
| Number of Cores | 10 |
| Total Installed System Memory in GB | 16 |
| Graphics | Integrated |
| WOL enabled in "Sleep" Mode | Yes |
| WOL enabled in "Off" Mode | No |
| As Tested: Lowest Power State | 0.26 |
| As Tested: Poff(W) WOL Disabled | 0.26 |
| As Tested: Poff(W) WOL Enabled | |
| As Tested: Psleep(W) WOL Disabled | 0.83 |
| As Tested: Psleep(W) WOL Enabled | 0.81 |
| As Tested: Pidle(W) | 3.17 |
| Base TEC Limit (kWh) | 27 |
| TEC Adders Limit (kWh) | 4.80 |
| Base + Adders TEC Limit (kWh) | 31.80 |
| Results TEC | 10.39 |



P112F008

| | | |
|--|-------------------|-------------------|
| Processor Speed in GHz | 1.7 | 1.7 |
| Number of Cores | 10 | 10 |
| Total Installed System Memory in GB | 16 | 16 |
| Graphics | G4 | Integrated |
| Category | Category C | Category A |
| Total Installed Memory in GB | 16 | 16 |
| Memory Adder | 4.8 | 4.8 |
| Adders | | |
| Additional Internal Storage? | No | No |
| Storage Adder | 0.00 | 0.00 |
| 1st Discrete Graphics Card? | G4 | Integrated |
| 1st Discrete Graphics Adder | 20.00 | 0.00 |
| 2nd Discrete Graphics Card? | N/A | N/A |
| 2nd Discrete Graphics Adder | 0.00 | 0.00 |
| Discrete Television Turner Card? | No | No |
| Discrete TV Turner Card Adder | 0.00 | 0.00 |
| Category | Category C | Category A |
| Processor Speed in GHz | 1.7 | 1.7 |
| Number of Cores | 10 | 10 |
| Total Installed System Memory in GB | 16 | 16 |
| Graphics | G4 | Integrated |
| WOL enabled in "Sleep" Mode | Yes | Yes |
| WOL enabled in "Off" Mode | No | No |
| <i>As Tested: Lowest Power State</i> | 0.31 | 0.32 |
| <i>As Tested: Poff(W) WOL Disabled</i> | 0.31 | 0.32 |
| <i>As Tested: Poff(W) WOL Enabled</i> | | |
| <i>As Tested: Psleep(W) WOL Disabled</i> | 0.87 | 0.93 |
| <i>As Tested: Psleep(W) WOL Enabled</i> | 0.86 | 0.93 |
| <i>As Tested: Pidle(W)</i> | 3.29 | 3.60 |
| Base TEC Limit (kWh) | 60.50 | 27 |
| TEC Adders Limit (kWh) | 24.80 | 4.80 |
| Base + Adders TEC Limit (kWh) | 85.30 | 31.80 |
| Results TEC | 11.01 | 11.98 |



| Power Supply Model # | Internal or External | Link to efficiency report |
|----------------------|----------------------|---|
| HKA65NM201 | External | https://oee.nrcan.gc.ca/pml-imp/index.cfm?action=app.formHandler&operation=details-details&ref=36174127&appliance=EPS&nr=1 |
| HA65NS5-00 | External | http://oee.nrcan.gc.ca/pml-imp/index.cfm?action=app.formHandler&operation=details-details&ref=5470487&appliance=EPS&nr=1 |
| LA65NS2-01 | External | http://oee.nrcan.gc.ca/pml-imp/index.cfm?action=app.formHandler&operation=details-details&ref=5485275&appliance=EPS&nr=1 |
| DA65NM191 | External | https://oee.nrcan.gc.ca/pml-imp/index.cfm?action=app.formHandler&operation=details-details&ref=34247978&appliance=EPS&nr=1 |

* **Energy Consumption** results are based solely upon the laboratory testing of the **System Configuration** listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption⁵

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Click [here](#) for Dell's Energy efficient products

Declared Noise Emissions in accordance with ISO 9296. Testing performed in accordance with ISO 7779 at operating modes defined by ECMA 74. Your product may perform differently, depending on the software, components, and peripherals you ordered. No warranty as to accuracy or completeness is expressed or implied.

Computers Category A (P112F007):

| Service Level | Sound Power Declared mean A-weighted level | Statistical adder for verification | Sound Pressure Declared mean A-weighted emission level |
|---------------|--|------------------------------------|--|
| | L _{WA,m} (B) | K _V (B) | L _{pA,m} (dB) |
| HDD Accessing | 2.2 | 0.4 | 15 |
| ODD Accessing | - | - | - |
| Idle | 2.2 | 0.4 | 14 |

Computers Category A (P112F008):

| Service Level | Sound Power Declared mean A-weighted level | Statistical adder for verification | Sound Pressure Declared mean A-weighted emission level |
|---------------|--|------------------------------------|--|
| | L _{WA,m} (B) | K _V (B) | L _{pA,m} (dB) |
| HDD Accessing | 2.2 | 0.4 | 14 |
| ODD Accessing | - | - | - |
| Idle | 2.2 | 0.4 | 14 |

⁵ This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components, and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.



Computers Category C (P112F008):

| Service Level | Sound Power Declared mean A- weighted level | Statistical adder for verification | Sound Pressure Declared mean A- weighted emission level |
|---------------|---|---------------------------------------|---|
| | L _{WA,m} (B) | K _V (B) | L _{pA,m} (dB) |
| HDD Accessing | 2.2 | 0.4 | 14 |
| ODD Accessing | - | - | - |
| Idle | 2.2 | 0.4 | 14 |



Appendix B: ErP Lot 26 Network Standby Energy Consumption Information

European Union (EU) ErP Lot 26 (Commission Regulation (EC) No 801/2013)

The ErP Lot 26 regulation includes Network Standby power requirements to be provided by the manufacturer. This is applicable to multiple product categories. If no information is reported, it's assumed it is out of scope of ErP Lot 26.

P112F007

| | |
|---|---|
| Network Standby Classification | LoNA |
| Off/Standby - Watts | 0.257 |
| Network Standby - Watts | 0.807 |
| Number of Network Ports | 1 |
| Location of 'Physical' Network Ports | Side |
| Network Port Type | Ethernet - RJ45 |
| Network Port(s) Activated or Deactivated | Network Port(s) "Activated" |
| Network Port Maximum Performance in GB/s | 1000 Mbps |
| Communication protocol used by equipment | Ethernet - TCP/IP |
| Description of how to assert Network Standby Mode | Information available @ www.dell.com/regulatory_compliance and/or www.dell.com/support |
| Sequence of events to trigger automatic assertion of Network Standby Mode | |
| Notes regarding operation of the equipment EX: how the user switches the equipment into network standby | |
| Default time for PM function to switch equipment into this mode | |
| Inactivity time required to enter Network Standby | |
| Re-activation trigger | |
| Measurement Method | |

P112F008

| | |
|---|---|
| Network Standby Classification | LoNA |
| Off/Standby - Watts | 0.323 |
| Network Standby - Watts | 0.934 |
| Number of Network Ports | 1 |
| Location of 'Physical' Network Ports | Side |
| Network Port Type | Ethernet - RJ45 |
| Network Port(s) Activated or Deactivated | Network Port(s) "Activated" |
| Network Port Maximum Performance in GB/s | 1000 Mbps |
| Communication protocol used by equipment | Ethernet - TCP/IP |
| Description of how to assert Network Standby Mode | Information available @ www.dell.com/regulatory_compliance and/or www.dell.com/support |
| Sequence of events to trigger automatic assertion of Network Standby Mode | |
| Notes regarding operation of the equipment EX: how the user switches the equipment into network standby | |
| Default time for PM function to switch equipment into this mode | |
| Inactivity time required to enter Network Standby | |
| Re-activation trigger | |
| Measurement Method | |



Appendix D: France Reparability Index

| | |
|--|----------------------------|
| CALCUL DE L'INDICE DE RÉPARABILITÉ ET PRÉSENTATION DES PARAMÈTRES AYANT PERMIS DE L'ÉTABLIR | <i>Ordinateur portable</i> |
|--|----------------------------|

**FICHE D'INFORMATION À TRANSMETTRE AUX DEMANDEURS
(cf. Article L. 541-9-2 du Code de l'environnement)**

| Nom ou marque commerciale du producteur ou de l'importateur | | Dell | | | |
|---|--|--|-----------------------------|------------------------|--------------------------------------|
| Adresse du producteur ou de l'importateur | | 1 Dell Way, Round Rock, TX 78682, United States | | | |
| Référence du modèle donnée par le producteur ou l'importateur | | P112F | | | |
| Date du calcul | | La "DATE D'ENTRÉE EN VIGUEUR" indiquée sur la première page de ce document | | | |
| Critère | Sous-critère | Note du sous-critère sur 10 | Coefficient du sous critère | Note du critère sur 20 | Total des notes des critères sur 100 |
| CRITÈRE 1 : DOCUMENTATION | 1.1 Durée de disponibilité de la documentation technique et relative aux conseils d'utilisation et d'entretien | 8.5 | 2 | 16.9 | 68.6 |
| CRITÈRE 2 : DÉMONTABILITÉ, ACCÈS, OUTILS, FIXATIONS | 2.1 Facilité de démontage des pièces de la liste 2* | 9.3 | 1 | 19.3 | |
| | 2.2 Outils nécessaires (liste 2) | 10.0 | 0.5 | | |
| | 2.3 Caractéristiques des fixations entre les pièces de la liste 1** et de la liste 2 | 10.0 | 0.5 | | |
| CRITÈRE 3 : DISPONIBILITÉ DES PIÈCES DÉTACHÉES | 3.1 Durée de disponibilité des pièces de la liste 2 | 7.1 | 1 | 12.4 | |
| | 3.2 Durée de disponibilité des pièces de la liste 1 | 7.1 | 0.5 | | |
| | 3.3 Délais de livraison des pièces de la liste 2 | 3.3 | 0.3 | | |
| | 3.4 Délais de livraison des pièces de la liste 1 | 3.3 | 0.2 | | |
| CRITÈRE 4 : PRIX DES PIÈCES DÉTACHÉES | 4. Rapport prix des pièces de la liste 2 sur prix de l'équipement neuf | 0 | 2 | 0 | |
| CRITÈRE 5 : CRITÈRE SPÉCIFIQUE | 5.1 Informations sur la nature des mises à jour | 10.0 | 1 | 20.0 | |
| | 5.2 Assistance à distance sans frais | 10.0 | 0.5 | | |
| | 5.3 Possibilité de réinitialisation logicielle | 10.0 | 0.5 | | |
| Note de l'indice sur 10 | | | | | 6.9 |

*liste 2 : liste des 3 à 5 pièces détachées au maximum (selon la catégorie d'équipements concernée) dont la casse ou les pannes sont les plus fréquentes ;

**liste 1 : liste de 10 autres pièces détachées au maximum (selon la catégorie d'équipements concernée) dont le bon état est nécessaire au fonctionnement de l'équipement.



Appendix E: France – Consumer Information about product environmental qualities and characteristics

| Fiche produit relative aux qualités ou caractéristiques environnementales Product Sheet relating to Environmental Qualities or Characteristics | |
|---|--|
| (cf. Articles R. 541-221 et R. 541-222 du Code de l'environnement) (See Articles R.541-221 and R.541-222 of the Environmental Code) | |
| Référence du modèle donnée par le producteur ou l'importateur (Model reference given by Producer or importer) | P112F |
| Qualité / caractéristique environnementale (Quality/Environmental Characteristic) | |
| Incorporation de matière recyclée (Incorporation of recycled material) | |
| Produit (Product) | Produit comportant au moins 2.9% de matières recyclées. Voir la section 'Product Materials Information' du présent document pour plus de détails (en anglais) Product containing at least 2.9% of recycled materials. See the 'Product Materials information' section of this document for more details |
| Emballage (Packaging) | Emballage comportant au moins 0% et jusqu'à 80% de matières recyclées. Voir la section 'Packaging' du présent document pour plus de détails (en anglais) Packaging containing at least 0% and up to 80% recycled materials. See the 'Packaging' section of this document for more details. |
| Batterie (Battery) | Batterie comportant au moins 0% de matières recyclées Battery with at least 0% recycled content |
| Recyclabilité (Recyclable) | |
| Produit (Product) | Produit majoritairement recyclable Majority of the Product recyclable |
| Emballage (Packaging) | Emballage majoritairement recyclable Majority of the Packaging recyclable |
| Présence de métaux précieux (Presence of Precious Metals) | Contient au moins 1 milligramme de métaux précieux Contains at least 1 milligram of precious metals |
| Présence de terres rares (Presence of rare earths) | Contient au moins 1 milligramme de terres rares Contains at least 1 milligram of rare earths |
| Présence de substances dangereuses (Presence of Hazardous substances) | Contient des substances extrêmement préoccupantes, voir www.dell.com/reach Contains Substances of Very High Concern, see www.dell.com/reach |