

UP Workstation SYS-531A-I



More details here

Key Applications


2D/3D Content Creation, VR Content Development,

Key Features

- Socket E (LGA4677) support Intel® Xeon® W-2400 processors;
- Intel® W790;
- 8 DIMMs;
- 1x 1GbBaseT, 1x 10GbBaseT;
- 4 3.5" SATA3 drive bays; ; 2 M.2 NVMe;
- 1 120 mm Fan(s) ; 1 120 mm Fan(s);
- 1200W Power Supplies Platinum Level (92%+);



Form Factor	Mid-Tower Rackmount Enclosure: 193 x 424 x 525.3mm (7.6" x 16.7" x 20.68") Package: 304 x 543 x 642mm (11.97" x 21.38" x 25.28")
Processor	Intel® Xeon® W-2400 processors Single Socket LGA4677 (Socket E) supported
System Memory	8 DIMM slots
Drive Bays	4x 3.5" SATA drive bays 2x PCIe 5.0 x4
Expansion Slots	1 PCIe 4.0 x4 slot(s) 3 PCIe 5.0 x16 slot(s)
On-Board Devices	Chipset: System on Chip Network Connectivity: 1x 10GbE BaseT with Marvell AQC113 1x 1GbE BaseT with Intel® I210-AT IPMI: Support for Intelligent Platform Management Interface v.2.0 IPMI 2.0 with virtual media over LAN and KVM-over-LAN support
Input / Output	USB: 1 USB 3.2 Gen 2x2 port(s) (1 rear) 5 USB 3.2 Gen 2 port(s) (4 rear; 1 front Type C) 2 USB 3.2 Gen 1 port(s) (2 front Type A) Video: 1 VGA port(s) Serial Port: 1 COM Port(s) (1 COM)



System Cooling	2x 12cm heavy duty fan(s) 2x 12cm heavy duty fan(s) 2x 12cm heavy duty fan(s) 2x 12cm heavy duty fan(s)
Power Supply	1200W PS2 Multi-output power supply Dimension (W x H x L): 150 x 86 x 185 mm Output Type: Modular Cable Output
System BIOS	BIOS Type: AMI 256MB SPI Flash
Management	IPMI 2.0; Watch Dog; SuperDoctor 5; SPM; SUM
PC Health Monitoring	Voltage: +1.8V, +12V, +3.3V, +5V, +5V standby, 10 -fan status, 3.3V standby, HT, Memory, VBAT
Dimensions and Weight	Height: 16.7" (424 mm) Width: 7.6" (193 mm) Depth: 20.68" (525.3 mm) Gross Weight: 30 lbs (13.61 kg) Net Weight: 27 lbs (12.25 kg) Packaging: 21.38" (H) x 11.97" (W) x 25.28" (D) Available Color: black
Operating Environment	Operating Temperature: 10°C ~ 35°C (50°F ~ 95°F) Non-operating Temperature: -40°C to 60°C (-40°F to 140°F) Operating Relative Humidity: 8% to 90% (non-condensing) Non-operating Relative Humidity: 5% to 95% (non-condensing)
Motherboard	Super X13SRA-TF
Chassis	CSE-735D4-1K26B